







 Heavy duty labels resistant to fade, abrasion and extreme temperatures







## P-touch E110VP

Create long lasting labels in various colour combinations and widths with this industrial labeller. With dedicated functions to make common labelling tasks quick and easy, and with everything supplied in a hard carry case, the PT-E110VP is an invaluable tool for electricians and other professional trades.



# P-touch laminated labels - designed to last

Brother P-touch laminated TZe tapes are available in many different colours and sizes. The thermal transfer ink is sandwiched between two protective layers of PET (polyester film), protecting the text against the effects of liquids, abrasion, temperature, chemicals and sunlight. As the labels have been tested to the extreme, you can be confident of a professional quality label that has been designed to last.

















Chemical

# PT-E110VP Features / Specifications

### **Hardware**

Tape size

Housing dimensions (mm)

111(w) x 58(d) x 204(h)

Housing weight

TZe tape: 6, 9, 12mm 180 dpi for crisp, legible text

Print resolution Max. label length

300mm 9mm for easy-to-read labels

Max. print height Max. print speed

20mm / sec

Cutter type Keyboard type Built-in manual label cutter PC layout QWERTY keyboard

with dedicated numeric keypad

Number of keys

LCD display 16 character graphic LCD with real

preview feature

60

400g

LCD size 58 mm x 23 mm

Yes Print preview

Text buffer Max 80 chrs

720 chrs (9 files x 80 chrs) Label memory

Power Requires 6 x AAA batteries (not supplied)

AC adapter (included)

### **Items Included**

Items included

PT-E110 labelling machine AC adapter (AD-24ES)

9mm black on white Flexible-ID

tape cassette (8m) Carry case

User guide

## **Supplies**

TZe Tape cassettes

6, 9, 12mm

### **Built-in software**

Built-in fonts

Built-in symbols

200 symbols including electrical, security,

audio/video and safety symbols

Character sizes 3 sizes

Character widths

3 widths (extended, medium, condensed)

Font styles Frames Underline Yes

Max. number of lines

Horizontal alignment

Pre-set format (auto format)

Tape length setting

Tape margin settings

Tab function

Labelling functions

Numbering

Mirror Printing **Vertical Printing** Copy (repeat) printing

Print preview Auto power off Unit change

Language change

Automatic length labels: left aligned Pre-set length labels: centre aligned

None

Yes (30-300 mm)

Narrow, half, full, chain print

General, Cable Wrap, Cable Flag, Faceplate and Sequential Numbering

Yes (1-50) No Yes

Yes (1-50)

Yes (graphic preview) Yes (approx. 5 min) Yes (inch/mm)

21 languages (English, German, French, Spanish, Portuguese, Portuguese-Bra, Italian, Dutch, Danish, Norwegian, Swedish, Finish, Hungarian, Czech, Polish, Romanian, Slovene,

Slovak, Croatian, Turkish, Malay)

Label images shown are for illustrative purposes only and some aspects may not be reproducable on this model. Product specifications may be subject to change.



## **Brother International South Africa**

96 Sovereign Drive, Route 21 Corporate Park, Irene Tel: +27 (0) 12 - 345 5332 Fax: +27 (0) 12 - 345 3886







